

MON-TCH7-B

Indoor Intercom Unit with 2 way audio



MAIN FEATURES

• With its standalone functionality, the 7" frame monitor is an independent powerhouse, yet when paired with our Intercom, it transforms into the ultimate control center. Equipped with advanced features, this indoor monitor unit serves as a central hub for surveillance camera integration, offering live views of up to4 cameras simultaneously, and with two-way audio, one-way video, and door-unlocking capabilities, it provides unparalleled convenience and functionality.



https://provision-isr.com



SPECIFICATIONS

NDAA Compliant		
NDAA Compliant	Yes	
Interface		
DND Button	All Day, Timing, Off	
Video On-Screen controls	Lock 1, Lock 2, Talk, Hear, Record Video, Snapshot, View 1, View 4, switch cameras	
General On Screen Controls	Call - logs and calling Message - Videos and Snaphot Live Settings Sleep	
Video		
Screen Size	7" IPS Touch Screen	
Input	16 Ch Over Network	
Decoding Format	H.265+ / H.265 / H.264	
Decoding Capabilities	1Ch - 5MP ; 4Ch - D1	
Screen Resolution	1024 x 600. brightness: 300cd/m2	
Audio		
Ring Tones	4 Selectable Ringtones	
Audio compression	G.711A/G.711U	
Communication	Two-Way Audio	
Record/ Main Stream		
Record Type	Video / Video + Audio	
Recording Modes	Manual, Incoming Call	
Real-Time Recording	16CH 2MP Real-Time	
Compression		
Resolution	6MP (3296x1856) / QHD (3200x1800) / 2880x1624 / 2688x1520 / 2MP (1920x1080) / 1MP (1280x720) / D1 (704x576) / CIF (352x288)	
Playback		

MON-TCH7-B



Remote	4Ch
Search Mode	Manual (Via Web), Incoming call (Local)

Housing	
РоЕ	Yes
Power Supply	DC12V/~200mA / PoE/~6W
Work Environment	-20°C~50°C, 10%~90% Humidity
Bracket	Wall Bracket Included
Dimensions	180.6mm x 135.6mm x 26.8mm
Weight (gross)	~360g
Hard Reset Button	Yes
Door Unlock Button	Yes

Connectivity	
Network	RJ45 (+PoE), WIFI(2.4G)
Audio Connectivity	Built-in Microphone and Speaker
Alarm	8Ch Input
SD Card	Call log image (Up to 256GB)
Power	DC wiring
Analog Video Output	No

Network	
User Access	5 Users Online with Professional Autorithy Management
Network Protocol	TCP / IP, DHCP, DNS, NTP, HTTPS, WiFi WiFi Standard: IEEE802.11b/g/n Frequency: 2.4GHz ~ 2.4835 GHz Channel Bandwidth: 20MHz Security: WEP, WPA-PSK/WPA2-PSK Wireless Range: 20m
Remote Monitoring	Modern Browsers
Ethernet	100Mbps

MON-TCH7-B

Outgoing



Linked Indoor Extensions	Max 5	
Bandwidth		
Incoming	40Mbps	

40Mbps